

# Factsheet ISCO4all

The first set for both.

#anamorphic  
#spherical



# ISCO4all A+ EF

## Set Details

Stock Code	Stock Code US	Product Details
1101812	08-1101812	ISCO4all A+ EF

## ISCO4all includes

- ISCORAMA 54 CU-1.5x
- ISCOspherical 2.4/43 A+ EF
- ISCOspherical 2.4/58 A+ EF
- ISCOspherical 2.4/85 A+ EF
- ISCORAMA 54 Support Bracket 1/4 (mounted)
- ISCORAMA 54 Adapter M77/M72 SLIM (mounted)
- ISCORAMA 54 Adapter M77/M72
- ISCO4all A+ EF - Hard Case

Find details on available accessories on page 5.




# ISCORAMA 54 CU-1.5x

## Technical Specs

Factor	Technical Specification
Squeeze Factor	1.5 x
Minimum Focus Distance	1.4 m
Coating	Schneider Multi Coating (MC)
Focus	Single focus system (ISCO patent), 308° focus throw
Rear Thread	M77, Adapter M77 to M72 (2x)
Front Filter Thread	M95
Support	1/4"-20 UNC support bracket
Dimensions	Width: 105.6 mm, Length: 82.6 mm
Weight	1.100 g

## Key Features

- Single focus (ISCO patent)
- Close focus 1.4 m
- Stepless horizon adjustment
- Standard 0.8 mm gear on focus ring
- 1/4"-20 UNC bracket for rod support




# ISCOsphericals A+ EF

## Technical Specs

focal length	T Stop	image circle	min.focus distance	no. iris blades	coating	filter thread	weight	length	width
43 mm	2.4	46.5 mm	0.58 m	11	A+	M72	510 g	68 mm	81.6 mm
58 mm	2.4	46.5 mm	0.70 m	11	A+	M72	520 g	68 mm	81.6 mm
85 mm	2.4	46.5 mm	0.85 m	11	A+	M72	530 g	68 mm	81.6 mm

## Key Features

- Vintage-style look and flares
- Amber Coating (A+)
- Full Frame coverage
- Consistent in size, weight and scale positions
- Light-weight mini cine primes
- EF-mount: user-changeable (optional PL-Mount Kit available)



# Accessories

Stock Code	Stock Code US	Product Details
1104521	08-1104521	ISCOspherical Focus Lock
1103882	08-1103882	ISCORAMA 54 Support Bracket 1/4 + 3/8
1101470	08-1101470	ISCORAMA 54 Support Bracket 1/4 (incl. in ISCO4all)
1101468	08-1101468	ISCORAMA 54 Adapter M77/M72 (incl. in ISCO4all)
1104081	08-1104081	ISCORAMA 54 Adapter M77/M72 SLIM (incl. in ISCO4all)
1104266	08-1104266	ISCORAMA 54 Adapter M77/M67
1104267	08-1104267	ISCORAMA 54 Adapter M77/M62
1104268	08-1104268	ISCORAMA 54 Adapter M77/M60
1104269	08-1104269	ISCORAMA 54 Adapter M77/M58
1104270	08-1104270	ISCORAMA 54 Adapter M77/M55
1104271	08-1104271	ISCORAMA 54 Adapter M77/M52
1104770	08-1104770	ISCORAMA 54 M77 Adapter Set 52-72 mm, 8 pcs
1104957	08-1104957	ISCORAMA 54 Spacer M77/M77
1104925	08-1104925	ISCOspherical 43 mm PL-Mount Kit
1104926	08-1104926	ISCOspherical 58 mm PL-Mount Kit
1104927	08-1104927	ISCOspherical 85 mm PL-Mount Kit





A Schneider-Kreuznach Brand.

**Headquarters - Germany**

Jos. Schneider Optische Werke GmbH  
Ringstraße 132  
55543 Bad Kreuznach

+49 671 601 551  
[cine@schneiderkreuznach.com](mailto:cine@schneiderkreuznach.com)  
[www.schneiderkreuznach.com](http://www.schneiderkreuznach.com)

**North America**

East Coast: +1 800 645 7239  
West Coast: +1 800 228 1254  
[info@schneideroptics.com](mailto:info@schneideroptics.com)

**Asia**

+65 9488 0062  
[thongv@schneiderkreuznach.com](mailto:thongv@schneiderkreuznach.com)

Jos. Schneider Optische Werke GmbH is certified ISO 9001.  
We accept no responsibility for any errors and reserve the right of modification without further notice.